L	Hits	Search Text	DB	Time stamp
Number -	206	(257/80).CCLS.	USPAT	2004/04/29
_	31	((257/80).CCLS.) and memory	USPAT	12:57 2002/04/04 15:15
-	3	((257/80).CCLS.) and (analog adj2 digital)	USPAT	2002/04/04
-	15923	,	USPAT	2002/04/04
-	1156	((integrated same ((light adj emit\$4) or laser))) same (photodiode or photo-diode	USPAT	2002/04/04 15:23
_	139	<pre>laser))) same (photodiode or photo-diode or (light adj receiv\$4))) and (analog</pre>	USPAT	2002/04/04
_	307	<pre>adj2 digital) (((integrated same ((light adj emit\$4) or laser))) same (photodiode or photo-diode or (light adj receiv\$4))) and (memory)</pre>	USPAT	2002/04/04
_	41		USPAT	2002/04/04 16:56
_	91	integrated with controller with transceiver	USPAT	2002/04/04
-	16	transceiver) and optic\$4	USPAT	2002/04/04 16:03
-	0	<pre>(((integrated same ((light adj emit\$4) or laser))) same (photodiode or photo-diode or (light adj receiv\$4))) and 257.ccls.</pre>	USPAT	2002/04/04 16:41
_	,		USPAT	2002/04/04
_	524	I The state of the	USPAT	2002/04/04 16:56
	248	amplitude)	USPAT	2002/04/04 16:58
-	23	amplitude)) and (analog adj digital)	USPAT	2002/04/04 16:57
_	73	359/110.ccls. and ((intensity or amplitude) with (exceed\$4 or high or limit\$4))	USPAT	2002/04/05 08:30
_	73		USPAT	2002/04/05 08:30
-	107930	analog near2 digital	USPAT .	2002/04/15
_	1	(analog near2 digital) and ((US "6323985" B1 US "6269199" B1	USPAT	2002/04/15 09:25
		US "5914480" A US "6166846" A US "6021947" A		
		US "5625483" A US H001881 H US H001801 H US "6178025" B1		
	_	US "5943152" A ).pn.)		
	99716	analog with digital with conver\$7	USPAT	2002/04/15 09:46

-	3	( ( ) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	USPAT	2002/04/15
		US "6269199" B1 .		09:46
		US "5914480" A		
		US "6166846" A		
	1	US "6021947" A		
		US "5625483" A		İ
		US H001881 H		
		US H001801 H		<u> </u>
		US "6178025" B1		[
		US "5943152" A		
		).pn.) and (analog with digital with	i	
		conver\$7)		1
_	476	i i	USPAT	2002/04/15
	4/0	333/132.0013.	OSFAI	13:23
	370005		HCDAM	
1 -	378085	substrate amd 359/152.ccls.	USPAT	2002/04/15
İ	1.55			13:24
-	105	substrate and 359/152.ccls.	USPAT	2002/04/15
				13:24
-	16		USPAT	2002/04/15
	İ	359/152.ccls.)		13:25
-	10	(((analog with digital) or (a-d) or	USPAT	2003/09/11
		(a/d)) with conver\$7) and (substrate and		15:11
	1	359/152.ccls.)		
_	17	1	USPAT	2002/04/15
	1 - '			13:44
_	10	(US "6323985" B1	USPAT	2002/04/15
	10	US "6269199" B1	OSFAI	13:48
				13:40
		US "5914480" A		
		US "6166846" A		
		US "6021947" A		
		US "5625483" A		
		US H001881 H		
		US H001801 H		
		US "6178025" B1		
1		US "5943152" A		
		).pn.		
1_	37098		USPAT	2002/04/15
-	3,030	(a/d)) with conver\$7) same memory	001111	14:04
1_	509	((((analog with digital) or (a-d) or	USPAT	2002/04/15
	309		USPAI	14:05
		(a/d)) with conver\$7) same memory) and		14:05
1		(optic\$7 with (transmitter\$1 or		
	0.10	transceiver\$1))		0000/04/05
-	212		USPAT	2002/04/15
		or (a-d) or (a/d)) with conver\$7) same		14:01
		memory) and (optic\$7 with (transmitter\$1		
		or transceiver\$1)))		
-	3273	((((analog with digital) or (a-d) or	USPAT	2002/04/15
		(a/d)) with conver\$7) same memory) same		14:04
1		(substrate or integrat\$4)		]
[ -	56		USPAT	2003/06/09
1		(a/d)) with conver\$7) same memory) same		08:36
	ĺ	(substrate or integrat\$4)) and (optic\$7		
1		with (transmitter\$1 or transceiver\$1))		
_	5	1	USPAT	2002/04/15
_	1	1 '	USPAI	1 ' '
		US "6023147" A		14:39 .
		US "6010538" A		
		US "5057932" A		
		US "4545078" A		
		).pn.		
-	5	1 , ,	USPAT	2002/04/15
		US "6023147" A		14:28
		US "6010538" A		
· ·		US "5057932" A		
		US "4545078" A		
		).pn.) and power		
			r	

-	0	((US "6115113" A US "6023147" A	USPAT	2002/04/15 14:40
		US "6010538" A		11.10
		US "5057932" A US "4545078" A		
		).pn.) and (h1881 "6166846" "6021947"		
	_	"5943152").pn.		0000/04/05
_	8	((US "6115113" A   US "6023147" A	USPAT	2002/04/15
		US "6010538" A		
		US "5057932" A US "4545078" A		
		).pn.) or (h1881 "6166846" "6021947"		,
	3	"5943152").pn. h1881	USPAT	2002/04/15
_	3	11001	USPAI	14:40
-	9	((US "6115113" A	USPAT	2002/04/15
	*	US "6023147" A US "6010538" A		14:40
		US "5057932" A		
		US "4545078" A ).pn.) or (h001881 "6166846" "6021947"		
		"5943152").pn.		
-	4	(("6108114") or ("5448629")).PN.	USPAT; EPO; JPO;	2002/10/29
			DERWENT	10.59
-	11	'     '     '	USPAT;	2002/10/29
†		("5623355") or ("5287211") or ("5808760")).PN.	EPO; JPO; DERWENT	14:22
ļ -	11	(US-6166846-\$ or US-6021947-\$ or	USPAT	2002/10/29
		US-H001881-\$ or US-H001801-\$ or US-6178025-\$ or US-5943152-\$ or		14:50
1		US-6023147-\$ or US-6010538-\$ or		
		US-6115113-\$ or US-5057932-\$ or US-4545078-\$).did.		
-	5	((US-6166846-\$ or US-6021947-\$ or	USPAT	2002/10/29
		US-H001881-\$ or US-H001801-\$ or US-6178025-\$ or US-5943152-\$ or	. )	14:50
		US-6023147-\$ or US-6010538-\$ or	,	
		US-6115113-\$ or US-5057932-\$ or		,
_	392	US-4545078-\$).did.) and temperature 398/135-139.ccls.	USPAT	2004/10/13
	7.4	200/125 120 1 1 /		14:01
-	74	398/135-139.ccls. and (memory or rom or ram)	USPAT	2003/06/09
-	598737	operat\$4 with tim\$4	USPAT	2003/06/09
_	93	398/135-139.ccls. and (operat\$4 with	USPAT	09:01 2003/06/09
		tim\$4)		09:17
_	12840	(cumulative or acculumulative) same (time or clock)	USPAT	2003/06/09 09:19
-	3	((cumulative or acculumulative) same	USPAT	2003/06/09
_	7163	(time or clock)) and 398/135-139.ccls.	USPAT	09:19
				11:53
-	31	((cumulative or acculumulative) same (time or clock)) and 398/1-214.ccls.	USPAT	2004/10/13
-	95769	display\$4 with time	USPAT	2003/06/09
_	4	398/135-139.ccls. and (display\$4 with	IISDAT	09:28 2003/06/09
	4	time)	USPAT	09:28
-	203	398/1-214.ccls. and (display\$4 with time)	USPAT	2003/06/09
_	13573	(display\$4 with time) with (transmission	USPAT	09:28
		or elasped or operation)		09:30
_	39	((display\$4 with time) with (transmission or elasped or operation)) and	USPAT	2004/10/13 16:13
	_	398/1-214.ccls.		
-	7	aronson-lewis-\$.in.	USPAT	2003/06/09 09:47
L	L	<u> </u>	L.,	

-	4	hosking-stephen-\$.in.	USPAT	2003/06/09 10:13
_	10	(("4734914") or ("5019769") or ("5334826") or ("5392273") or ("5448629")	USPAT	2003/06/09 10:14
		or ("5510924") or ("5673282") or ("5812572") or ("5926303") or		
_	12	("5953690")).PN. 398/135-139.ccls. and ((memory or rom or	USPAT	2003/06/09
_	392	ram or eprom or eeprom) same interface) 398/135-139.ccls.	USPAT; EPO; JPO;	11:47 2003/06/09 11:47
_	12	398/135-139.ccls. and ((memory or rom or	DERWENT USPAT	2003/06/09
_	7163	ram or eprom or eeprom) same interface) 398/1-214.ccls.	USPAT; EPO; JPO;	11:54 2003/06/09 11:54
	279	398/1-214.ccls. and ((memory or rom or .	DERWENT USPAT	2003/09/11
_	11	ram or eprom or eeprom) same interface) (memory adj mapp\$4) and (398/1-214.ccls.	USPAT	14:45 2003/06/09
		and ((memory or rom or ram or eprom or eeprom) same interface))		14:21
_	2	("5448629").PN.	USPAT; EPO; JPO;	2003/06/09 14:25
-	2	("5943152").PN.	DERWENT USPAT; EPO; JPO;	2003/06/09 14:32
_	23600	(voltage with level\$1) with (senses or sensors or sensor or sensing or sense)	DERWENT USPAT; EPO; JPO;	2003/06/09 14:33
-	26	398/1-214.ccls. and ((voltage with level\$1) with (senses or sensors or	DERWENT USPAT; EPO; JPO;	2003/06/09
-	6	sensor or sensing or sense)) (("5812572") or ("5953690") or ("5019769")).PN.	DERWENT USPAT; EPO; JPO;	2003/06/10 11:00
	- 76		DERWENT USPAT	2003/09/11
	24	ram or eprom or eeprom) aronson-lewis-\$.in.	USPAT; US-PGPUB;	10:43 2003/09/11 12:40
			EPO; JPO; DERWENT	
-	73	(transceiver\$1 with control\$4 with integrated).ab.	USPAT; EPO; JPO; DERWENT	2003/09/11 15:08
-	434	transceiver\$1 with control\$4 with integrated	USPAT; EPO; JPO;	2003/09/11 15:08
-	97	temperature and (transceiver\$1 with control\$4 with integrated)	DERWENT USPAT; EPO; JPO;	2003/09/11 15:10
-	5	temperature and ((transceiver\$1 with control\$4 with integrated).ab.)	DERWENT USPAT; EPO; JPO;	2003/09/11 15:10
_	134306	((analog with digital) or (a-d) or (a/d))	DERWENT USPAT	2003/09/11
_	83678	with conver\$7 compar\$4 with (limit\$1 or maximum or max or minimum or min)	USPAT	15:14   2003/09/11   15:15
_	16593	(((analog with digital) or (a-d) or (a/d)) with conver\$7) and (compar\$4 with (limit\$1 or maximum or max or minimum or	USPAT	2003/09/11 15:15
_	920	min)) ((((analog with digital) or (a-d) or (a/d)) with conver\$7) and (compar\$4 with (limit\$1 or maximum or max or minimum or	USPAT	2003/09/11 15:16
_	7379	min))) and transceiver\$1 398/1-214.ccls.	USPAT	2003/09/11 15:16

_	8	(((((analog with digital) or (a-d) or (a/d)) with conver\$7) and (compar\$4 with	USPAT	2003/09/11 15:16
	i	(limit\$1 or maximum or max or minimum or min))) and transceiver\$1) and		
_	2	398/1-214.ccls.   5812572.pn.	USPAT;	2003/12/16
_	2	3612372.pii.	US-PGPUB;	13:20
			EPO; JPO;	
			DERWENT	
-	384	stor\$4 with predefined with (memory or	USPAT;	2003/12/16
		rom or erprom or eeprom or prom) with location\$1	US-PGPUB; EPO; JPO;	14:06
			DERWENT	
_	2236	stor\$4 with (memory or rom or eprom or	USPAT;	2003/12/16
		eeprom or prom) with ((predetermined or	US-PGPUB;	14:09
1		predefined) near2 location\$1)	EPO; JPO;	
i _	150	stor\$4 with (memory or rom or eprom or	DERWENT USPAT;	2003/12/16
_	130	eeprom or prom) with (predefined near2	US-PGPUB;	15:22
		location\$1)	EPO; JPO;	
			DERWENT	
-	270	host with (direct\$2 near2 read)	USPAT;	2003/12/16
			US-PGPUB; EPO; JPO;	14:58
			DERWENT	
-	0	[	USPAT;	2003/12/16
		eeprom or prom) with ((predetermined or	US-PGPUB;	14:16
!		predefined) near2 location\$1)) same (host	EPO; JPO;	
_	1574	with (direct\$2 near2 read))   device with (direct\$2 near2 read)	DERWENT USPAT;	2003/12/16
	1374	device with (directly hears read)	US-PGPUB;	14:56
			EPO; JPO;	
	_		DERWENT	
_	1	(stor\$4 with (memory or rom or eprom or eprom or prom) with ((predetermined or	USPAT; US-PGPUB;	2003/12/16 14:56
		predefined) near2 location\$1)) same	EPO; JPO;	14.50
		(device with (direct\$2 near2 read))	DERWENT	
-	1738	device with (directly near2 read\$4)	USPAT;	2003/12/16
			US-PGPUB; EPO; JPO;	14:57
			DERWENT	
_	o	(stor\$4 with (memory or rom or eprom or	USPAT;	2003/12/16
		eeprom or prom) with ((predetermined or	US-PGPUB;	14:57
		predefined) near2 location\$1)) same	EPO; JPO;	
_	254	(device with (directly near2 read\$4)) host with (directly near2 read\$4)	DERWENT USPAT;	2003/12/16
	254	into man (daroot) media reddy i	US-PGPUB;	15:02
			EPO; JPO;	
		/	DERWENT	2002/12/16
_	0	(stor\$4 with (memory or rom or eprom or eeprom or prom) with ((predetermined or	USPAT; US-PGPUB;	2003/12/16
		predefined) near2 location\$1)) same (host	EPO; JPO;	
		with (directly near2 read\$4))	DERWENT	
_	1	(	USPAT;	2003/12/16
		eeprom or prom) with ((predetermined or predefined) near2 location(1) and (host	US-PGPUB; EPO; JPO;	15:01
		with (directly near2 read\$4))	DERWENT	
_	21116		USPAT;	2003/12/16
			US-PGPUB;	15:02
			EPO; JPO;	
-	74	(stor\$4 with (memory or rom or eprom or	DERWENT USPAT;	2003/12/16
		eeprom or prom) with ((predetermined or	US-PGPUB;	15:19
		predefined) near2 location\$1)) and	EPO; JPO;	
1_	443	(directly near2 read\$4)   372/38.02	DERWENT	2003/12/16
-	443	312/30.02	USPAT; US-PGPUB;	2003/12/16 15:19
			EPO; JPO;	10.15
L			DERWENT	

-	389	372/38.02.ccls.	USPAT;	2003/12/16
			US-PGPUB;	15:19
			EPO; JPO;	
	]		DERWENT	
-	0	(directly near2 read\$4) and	USPAT;	2003/12/16
		372/38.02.ccls.	US-PGPUB;	15:19
			EPO; JPO;	
			DERWENT	
_	92	memory and 372/38.02.ccls.	USPAT;	2003/12/16
1		*	US-PGPUB;	15:20
			EPO; JPO;	
Ī			DERWENT	
_	2594	predefined near2 location\$1	USPAT;	2003/12/16
		production in the control of the con	US-PGPUB;	15:22
			EPO; JPO;	
			DERWENT	
_	٥ ا	(directly near2 read\$4) same (predefined	USPAT;	2003/12/16
	1	near2 location\$1)	US-PGPUB;	15:22
	}	nearz rocationory	EPO; JPO;	10.22
			DERWENT	
1_	4474	(memory or rom or eprom or eeprom or	USPAT;	2003/12/16
-	77/3	prom) same (directly near2 read\$4)	US-PGPUB;	15:23
1		brown same (directly means ready)	EPO; JPO;	15.25
			DERWENT	į l
	30	(mandafined mann) location(1) and	i	2003/12/16
1-	36	(predefined near2 location\$1) and	USPAT;	15:30
		((memory or rom or eprom or eeprom or	US-PGPUB;	15:30
		prom) same (directly near2 read\$4))	EPO; JPO;	
	1	,,	DERWENT	0000/10/16
-	17238	direct adj memory adj access	USPAT;	2003/12/16
1			US-PGPUB;	15:31
1			EPO; JPO;	
			DERWENT	
-	2877	(direct adj memory adj access) and (laser	USPAT;	2003/12/16
†		or transceiver)	US-PGPUB;	15:31
			EPO; JPO;	
			DERWENT	
-	1908	(direct adj memory adj access) and	USPAT;	2003/12/16
		(control\$4 same (laser or transceiver))	US-PGPUB;	15:32
			EPO; JPO;	
1			DERWENT	
-	728		USPAT;	2003/12/16
		(control\$4 same (laser))	US-PGPUB;	15:32
			EPO; JPO;	
			DERWENT	
-	221		USPAT;	2003/12/16
		(control\$4 same (laser))) and temperature	US-PGPUB;	15:33
1	[		EPO; JPO;	
1			DERWENT	
-	409	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/16
	1	(control\$4 with (laser))	US-PGPUB;	15:33
			EPO; JPO;	
			DERWENT	
-	129		USPAT;	2003/12/16
		(control\$4 with (laser))) and temperature	US-PGPUB;	15:33
	1		EPO; JPO;	
1	1		DERWENT	
-	2	6010538.pn.	USPAT;	2003/12/18
			US-PGPUB;	16:47
			EPO; JPO;	
			DERWENT	
-	17260	direct adj memory adj access	USPAT;	2003/12/18
			US-PGPUB;	16:55
1			EPO; JPO;	
			DERWENT	Į l
-	32	(direct adj memory adj access) and	USPAT;	2003/12/18
		398/1-214.ccls.	US-PGPUB;	16:56
			EPO; JPO;	
		•	DERWENT	
·				·

		•		
-	6	(direct adj memory adj access) and 372/1-109.ccls.	USPAT; US-PGPUB;	2003/12/18
		372/1-109.ccis.	EPO; JPO;	16:56
	1		DERWENT	
-	409	1	USPAT;	2003/12/18
		with control\$4)	US-PGPUB; EPO; JPO;	16:58
			DERWENT	
-	129	((direct adj memory adj access) and	USPAT;	2003/12/19
		(laser with control\$4)) and temperature	US-PGPUB; EPO; JPO;	08:21
			DERWENT	
-	20336	flag with memory	USPAT;	2003/12/19
			US-PGPUB;	08:21
			EPO; JPO; DERWENT	
-	1285	laser and (flag with memory)	USPAT;	2003/12/19
1			US-PGPUB;	08:25
			EPO; JPO; DERWENT	
_	493	(laser with control\$4) and (flag with	USPAT;	2003/12/19
		memory)	US-PGPUB;	08:54
			EPO; JPO;	
_	42	(laser with temperature) and ((laser with	DERWENT USPAT;	2003/12/19
	32	control\$4) and (flag with memory))	US-PGPUB;	08:54
		-	EPO; JPO;	
_	1	("5812572").PN.	DERWENT USPAT	2003/12/22
-	1	( 5812572 ).PN.	USPAI	12:40
-	8		USPAT;	2004/04/29
•		("20020097468") or ("20020027688")).PN.	US-PGPUB;	13:26
			EPO; JPO; DERWENT	
-	27	(("4687924") or ("4747091") or	USPAT;	2004/04/29
		("5039194") or ("5396059") or ("5557437")	US-PGPUB;	13:00
		or ("5574435") or ("5822099") or ("5956168") or ("6064501") or ("6160647")	EPO; JPO; DERWENT	
		or ("6423963") or ("6473224") or	DERWEIT	
		("6512617")).PN.		0004/10/15
-	8	(("20040100687") or ("20040047635") or ("20040105679") or ("20030128411")).PN.	USPAT; US-PGPUB;	2004/10/15
		( 200101000,5 , 01 ( 20030120.11 ,,,	EPO; JPO;	
			DERWENT	
-	1	clock.clm. and ((("20040100687") or   ("20040047635") or ("20040105679") or	USPAT; US-PGPUB;	2004/10/13 09:59
		("20030128411")).PN.)	EPO; JPO;	05.05
			DERWENT	00044545
-	2	5,812,572.pn.	USPAT; US-PGPUB;	2004/10/13 13:16
<u> </u>			EPO; JPO;	13.10
			DERWENT	
_	21	5812572.URPN.	USPAT	2004/10/13 14:01
-	459	398/135-139.ccls.	USPAT	2004/10/13
				16:48
-	41	398/135-139.ccls. and (time with	USPAT	2004/10/13
_	7	operation)   5812572.URPN. and receiver\$1	USPAT	16:48 2004/10/13
				16:24
-	2	· · · · · · · · · · · · · · · · · · ·	USPAT	2004/10/13
_	0	bi-direction\$4)   5,812,572.pn. and (bidirection\$4 or	USPAT	16:24 2004/10/13
		bi-direction\$4)	, =	16:24
_	1	5,812,572.pn. and receiver\$1	USPAT	2004/10/15
_	15	398/135-139.ccls. and (time with	USPAT	16:12   2004/10/13
		operating)		16:25
-	812	((display\$4 or stor\$4) with (time or	USPAT	2004/10/13
L	L	clock)) and 398/1-214.ccls.		16:29

		·		
-	24	((display\$4 or stor\$4) with (time or clock)) and 398/135-139.ccls.	USPAT	2004/10/13
_	1	(running adj time) and 398/135-139.ccls.	USPAT	2004/10/13 16:35
_	8	(operat\$4 near time) and 398/135-139.ccls.	USPAT	2004/10/13
-	19	(running adj time) and 398/1-214.ccls.	USPAT	2004/10/13
_	29	(running adj time) with laser\$1	USPAT	2004/10/13
-	2212	integrated with transceiver	USPAT	2004/10/13
-	1098	disable with pin	USPAT	2004/10/13
_	14	(integrated with transceiver) and (disable with pin)	USPAT	2004/10/13
-	0	5812572.URPN. and (disable with pin)	USPAT	2004/10/13
_	0	398/135-139.ccls. and (disable with pin)	USPAT	2004/10/13 16:47
-	4	(disable with pin) and 398/1-214.ccls.	USPAT	2004/10/13
_	44	((display\$4 or stor\$4) with (time or clock)) and 398/135-139.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/10/13
-	586	398/135-139.ccls.	DERWENT USPAT; US-PGPUB;	2004/10/13 16:50
_	106	398/135-139.ccls. and (time with operat\$4)	EPO; JPO; DERWENT USPAT; US-PGPUB;	2004/10/15 13:05
		000240717	EPO; JPO; DERWENT	15.00
_	4	(disable with pin) and 398/1-214.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/10/13
			DERWENT	
-	19	(disable with pin) and 398/1-214.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/10/13
_	212	398/135-139.ccls. and (receiv\$4 with power)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/10/15
_	15	398/135-139.ccls. and ((receiv\$4 with power) same feedback)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/10/15 13:06
_	2	6,532,088.pn.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/10/15 16:13
_	1	6,532,088.pn.	DERWENT USPAT	2004/10/15
-	2	("6,012,947").PN.	USPAT;	16:13   2004/10/15
			US-PGPUB; EPO; JPO;	17:06
-	2	("5914480").PN.	DERWENT USPAT; US-PGPUB;	2004/10/15 17:07
-	2	("5812572").PN.	EPO; JPO; DERWENT USPAT; US-PGPUB;	2004/10/17 13:56
			EPO; JPO; DERWENT	

-	10702	398/1-214.ccls.	USPAT;	2004/10/17	]
			US-PGPUB;	13:57	,
			EPO; JPO;		
			DERWENT		
_	24	398/1-214.ccls. and (scal\$4 adj3	USPAT;	2004/10/17	
		signals\$1)	US-PGPUB;	16:10	
			EPO; JPO;		
			DERWENT		
-	79	("20030113118" "20030053170" "20020097468"	USPAZ002768	82'0,0'44,51405,0178"   "568	7924" "
			US-PGPUB;	16:10	
			EPO; JPO;		1
			DERWENT		
-	39	("20030113118" "20030053170" "20020097468"	USPAZ002768	82'0,0'44,51405,0178"   "568	7924" "
			US-PGPUB	16:17	
-	5	(("6160647") or ("h001881") or	USPAT;	2004/10/17	
		("4687924")).PN.	US-PGPUB;	16:20	
			EPO; JPO;		
			DERWENT		i
-	2	("6473224").PN.	USPAT;	2004/10/17	
1			US-PGPUB;	16:20	
1			EPO; JPO;		
			DERWENT		